

MUSTANG GT



Mustang GT convertible in Cabernet Red. Shown with optional Oxford White leather seating



Mustang GT is one of the quickest cars on the road. That's a pretty strong statement considering the competition. But Mustang GT

The 5.0 liter V-8 has been continually improved over the years to its current status of 225 horsepower at 4200 rpm and 300 ft. lb. of torque at only 3200 rpm.

But there's more to GT than

But thee's more to GT than just an awasome V8 engine. There's a taut handling suspension system with gos pressuitzed struis in front and Ford's Guadra-shock system with Taction-Lok axie in the ear. A 5-speed manual transmission with overdrive transmission with overdrive transmission. Rack and-pinion power steering with a quick tatio IA/1 steet ling gear. Undifferetional

Goodyear Eagle P225/6OVR 15-inch performance radials on 16-spoke cast aluminum wheels.

And then, of course, there's the bold, aggressive styling that makes Mustang GT instantly recognizable.

Mustang GT.

The full complement of analog gauges, including speedometer, tachometer, of pressure, temperature and voltmeter, plus alert lights helps you monitor the

The thick, solf-leel steerin wheel tilts to five position the reclining, articulate front bucket seats are comforcible and firm with multiple adjustments including secusion side bolsters, under thigh support and power lumbor support.

Even the brake and accelerator pedals are positioned to allow heel-and-toe downshifting and there is a left-side foot test/support for the driver.







INTRODUCING MUSTANG LX 5.OL

1X 5.0

For 1989, Mustang LX has an added twist – the LX 50.2 Spot It comes with the awe some performance of the 50L GT engine and the taut handling of the GT suspension all wrapped up in the smooth styling of the LX. And it's available in 2-door

convertible models.

The standard transmission

can opt for the convenience of the automatic overdrive transmission.

the same as that used for the GT. Gas-pressurized front struts and rear Quadra-shock set-up to give a firm, perfor mance ride.

Quick 14.71 constant ratio power rack-and-pinion stee ing. Traction-Lok axle and performance radials with IC hole cast aluminum wheels are also part of the package.

are also part of the package. Hatchback and convert ble models include articulated front bucket seats. The adjustable features of these seats include reclining backs seat cushion side bolsters under-thigh support and power lumbar support. Low back buckets are included.

Mustang LX 5.0L convenible in Oxford White. Shown with optional Oxford White leather





Mustang LX 5.0L 2-door sedan in Bright Red.



MUSTANG LX









MUSTANG INTERIOR

o matter how good it is to look at. driving Mustang is the ultimate reward. Mustang's front bucket seats are designed to be firm and supportive to help reduce fatigue. High density foam pads in the seat cushion and seat back are shaped to give a wraparound effect to help hold you in place. The front seat backs recline so you can drive in the position that's right for you.

The rear bench seat provides room for two and in hatchback models it has a split-fold design that makes for a versatile cargo area.

In GT and the LX 5.OL (hatchback and convertible models), the articulated front bucket seats feature adjustable seat cushion side bolsters and an adjustable under-thigh support. There's also a power adjustable lumbar support in the front seat backs.

In all three models, the standard AM/FM stereo radio is electronically tuned and features four-speaker sound.



The Mustang GT instrument panel (above) and interior (below) include equipment from optional Preferred Equipment Package 249A, plus the optional rear window defroster, and air conditioning.



Mustang GT front articulated bucket seats are shown above in Medium Grey.

Or, order the Premium Sound System with six speakers and power amplifier.

The analog gauges are large and easy to read. And there is a full complement fuel, temperature, voltmeter, oil pressure, speedometer and tachometer. The instrument cluster is also backlit for excellent night readability.

The optional speed control switches are set in the steering wheel spokes at your fingertips. Switches for headlights, emergency flasher and optional rear defroster are positioned high and directly in front of the driver so they are easy to reach and in clear view. For convenient operation, the turn signal lever includes controls for the interval wiper/washer, high beam and flash-to-pass. Climate control switches are rotary-designed to ease operation.

Both the left and right rearview mirrors are remote controlled. In convertibles, the mirrors are electrically remote controlled and the windows and door locks are power.

The Mustang LX interior in Scarlet Red (right), includes equipment from optional Preferred Equipment Package 240A, plus the optional Special Value Group. Other options shown are air conditioning, rear window defroster and toutomatic transmission. 1 9 8 9





ustang's love for the road comes in part trom its finely tuned suspension components matched to each model's personality.

In LX for instance, the sus pension utilizes gas-pressurized hydraulic struts and stabilizer bar in front along with gas-pressurized hydraulic shocks in the sear.

ac shocks in the redu.

In GT and the new LX 5.01
Sport model, the components
are designed to achieve
higher performance capabit
itles. Some of those components are progressive rate
springs and a furger stabilize
in front. In the rear is the
Quadra-shock system. The
system incorporates two vert
cally mounted gas-pressu
ized shocks, two horizontally
mounted axile dampen.



THE HIGH PERFORMANCE 5.0 LITER EFI HIGH OUTPUT (HO) V8 ENGINE

The High Output V8 engine is rated at 225 horsepower at 4,200 rpm. It also delivers 300 tool pounds of torque at 3200 rpm.


Some of the component used to reach those impresive figures are sequentia multiple-port fuel injection with electronic control, high

th, low friction double-roller forged aluminations stainless which and periodes.

The 5.0L engine uses forged alumination along pistons for fix weight and good hear dissipations. The connecting rods are forged for strength.

It has a proven overhead valve design with modified combustion chambers. The block and heads a cast iron and the intake manifold is aluminum.

> Keeping everything in sync is a double roller timing chain.



225

OPTIONS AND SPECIAL VALUE GROUPS

uslang offers a wide range of options available individually and in Special Value Groups.

For individual options, consider the convenience of the automatic transmission with overdrive, available on all models—GT. LX 5.01, and LX.

For your listening enjoyment Mustang offers the electronic AM/FM stereo with cassette tape player. Add to that the richness of the Premium Sound System with six speakers and 80 watts of power.

If you like the open air but don't want a convertible, the flip-up open-air root might be the answer. It's available for hatchback models and can be tilted up partially or removed completely.

SPECIAL VALUE GROUP

When you purchase your Mustang LX, you can get the Special Value Group at no charge.

The Group includes the cassette tape player (added to the standard electronic AM/FM stereo), speed control, dual electric remote-control mirrors (standard on convertibles), styled road wheels (not available with GT or 5.OL LX) and the Power Lock Group which includes power door locks, remote locking fuel door release and remote trunk or hatch release. This Special Value Group is also available to dress up your GT and 5.OL LX Mustang.

CUSTOM EQUIPMENT GROUP

On sedan and hatchback models, this optional group includes air conditioning, dual illuminated visor mirrors, till steering wheel (standard on GT), and power side windows. And by ordering the Group, you save money over the price of these options purchased separately.



Electronic AM/FM stereo with cassette tape player and Premium Sound System.



Air conditioning with rotary controls.



Styled road wheels (part of the Special Value Package on LX models with 2.3L engine).

Wire-style wheel covers for LX models with 2.3L engine. 8 0

FEATURES AND OPTIONS

NOTABLE STANDARD FEATURES

Mustang LX

- Flush, aerodynamic halogen headlamps
 Urethane lower bodyside protection
 Black bodyside protection moldings.

- Flush quarter window glass (sedans and hatchbacks)
- · Wraparound taillamps with tri-colored
- . Dual remote control mirrors (RH convex)
- Color coordinated bodyside paint stripe
 Single wing rear spoiler with integrated stop lamp (hatchbacks)
- · Turbine wheel covers
- Luggage rack with integrated stop lamp (convertibles)
 Dual electric remote control mirrors (convertibles)

- · Front and rear ashtrays
- Cargo area cover (hatchbacks)
- Center console
- Center console
 Full instrumentation tachometer, trip odometer, voltmeter, temperature, fuel and oil pressure gauges
 Light Group Lamps in dome (integrated in mirror on convertibles) with door courtesy switches, lights in engine compartment, glove box, front ashtray and headlamps "on" alert chime
 Footwell courtesy inbits (convertibles)
- · Footwell courtesy lights (convertibles)
- Dual visor mirrors with covers
 Low back reclining cloth bucket seats with cloth headrests
 Split/fold-down rear seat (hatchbacks)
- Stalk-mounted controls

- Full wrapover door trim panels with full length armrests and map pockets
 Power lock group (convertibles) power door locks, remote fuel filler door release, power decklid or hatch release
- · Side window demisters
- · Tinted glass
- Electronic AM/FM stereo seek radio with integral digital clock and four speakers
 Power side and quarter windows (convertibles)

- Interval wipers
 Luxury Sound Insulation Package
 LX 5.0L (over LX)

- Exterior
 10-hole 15"x7" cast aluminum wheels
- Articulated sport seats, cloth trim, four way headrests and power lumbar support (hatchbacks and convertibles)

GT (over LX and LX 5.0L) Exterior • Front air dam

- · Round Hella* fog lamps
- Louvered wraparound taillamps with bi-colored lenses
- Body-color bodyside protection molding (titanium with optional lower titanium accent treatment)
- Flared rocker moldings with integrated spats
- 16-spoke cast aluminum wheels with locking lug nuts

- Alert lights for oil check, low coolant, low fuel and low washer fluid
- Tilt steering wheel

(natchbacks and convertibles)						
OPTIONS AND PREFERRED EQUIPMENT PACKAGES 0=0ptional X=Included in Package			2371 0 00	Preferred Equipment Packages		
	LX	LX 5.0L	GT	LX 240A	LX 5.0L 245A	GT 249A
Exterior						
Styled road wheels				X		
Wire-style wheel covers	0	THE CO.			TO VICE THE PARTY	
Dual electric remote control mirrors (standard on convertibles)				X	X	X
Flip-up open-air roof (hatchbacks)	0	0	0	0	0	0
Lower bodyside titanium accent treatment		The state of the s	0			0
Bodyside molding insert stripe	0	0	0	0	0	0
Interior						
Leather seating surfaces (convertibles)	0	0	0	0	0	0
Vinyl seat trim	0	Marie State State				
Tilt steering wheel	0	0		0	0	
Speed control				X	X	X
Air conditioner	0	0	0	0	0	0
Rear window defroster	0	0	0	0	0	0
Dual illuminated visor mirrors				X	X	X
Power Lock Group				X	X	X
Power front side windows	0	0	0	0	0	0
Electronic AM/FM stereo search radio with cassette tape player				X	X	X
Premium Sound System	0	0	0	0	0	0
Special Value Group (see page 12 for content)	0	0	0	0	0	0
Custom Equipment Group (see page 12 for content)	0	0	0	0	0	0

M U S T A N G

SPECIFICATIONS

COLORS AND TRIMS

MUSTANG GT AND LX 5.OL

Engine type	5.0L overhead valve V-8
Compression ratio	90:1
Induction system	
Fuel tank	
Transmission	Standard 5-speed manual Optional automatic overdrive
Suspension, front	Modified MacPherson, nitrogen gas-pressurized hydraulic struts variable rate coil springs, stabilizer bar
Suspension, rear	Variable rate coil springs, Quadra-Shock with vertically mounted nitrogen gas-pressurized hydraulic shocks, horzentally-mounted hydraulic with freon-filled bag axle dampers, stabilizer bar
Steering	Power rack-and-pinion, 14.7:1 on center ratio
Brakes	Power front disc/rear drum
Wheels	15-inch cast aluminum (15-spoke style on GT, 10-hole style on LX 5 0L)
Tires	P225/60VR15 unidirectional Goodysar performance radials


MUSTANG LX

Engine type	2 3L OHC 4 cylinder
Compression ratio	95:1
Induction system	Electronic multiple port fuel injection
Fuel tank	
Transmission	Standard 5-speed manual Optional automatic overdrive
Suspension, front	
Suspension, rear	Four-bar link, nitrogen gas-pressunzed hydraulic shocks, coll springs
Steering	Power rack-and-pinion, 20:1 ratio
Brakes	Power front disc/rear drum
Wheels	
Tires	Standard P195/75R14 BSW steel-beited radials


DIMENSIONS

and the same of th	2-Door Sedan	2-Door Hatchback	Convertible 100.5"	
Wheelbase	100.5"	100.5"		
Length	179.6*	179.6"	179.6*	
Height	52.1"	52.1"	51.9*	
Width	69.1"	69.1"	69.1"	
Front tread	56.6"	56.6"(1)	56.6*	
Rear tread	57.0"	57.0"	57.0°	
Trunk or cargo volume (cu. ft.)	9.9	12.2 (2)	6.4	
Passenger capacity	4	4	4	

(1) 57.9 with GT. (2) 30.0 cu. ft. with rear seat backs down



Some of these paint and trim colors are shown in this catalog. On the printed page, of course, colors are at best only representative of the originals. Your Fond Dealer can show you actual samples of paint colors and trim materials.



SAFETY AND OWNER BENEFITS

ord Motor Company strongly encourages all passengers to use their sately belts Ford urges the use of child and infant restraints, as required in all states. Ford's easy-to-install Tot-Guard (for children 20 to 50 pounds) is available at all Ford Dealers. If a child restraint requires a top-tether, Ford cars provide for attachment of an anchor at each outboard seating position (except Mustang Convettible models)



FORD LIFEGUARD DESIGN SAFETY FEATURES

Vehicle operation

□ Split service hydraulic brake system with warning light □ Cornosion-resistant brake lines □ Flash-to-pas headlamps □ Turn indicator with lane-changing signal feature □ Hazard warning flasher □ Backup lights □ Parking lights coupled with headlamps □ High-mount stop lamp □ Variable-speed windshield wipers □ Windshield washers □ Outside rearriew mitrors □ Glare-reduced instrument panel, windshield wiper arms and windshield pillars □ Uniom transmission shift quadrant (an all cars equipped with automatic transmission) □ Clutch or neutral interlock for starter motor (on cars equipped with manual transmissions) □ Continuously variable control illumination intensity (instrument cluster lighting) □ Safety hood latch system □ Tamper-resistant (nonreversing) odometer □ Speedometer with highlighted 55-mph

Occupant protection

□ Safety-designed front end structure
□ Safety-designed roof structure
□ Steel guard rails in side doors
□ Safety-designed door hinges and
double yoke safety door latches
□ Integral lop and shoulder belts with
automatic retractors for occupants of
tront seats □ Seat belt tastening
reminder warning light and buzzer for

the driver's seat \square Lap belts with retractors for rear seat occupants

- ☐ Energy-absorbing steering column
 ☐ Energy-absorbing armirests and safety-designed door handles
 ☐ Energy-absorbing instrument panel with padding ☐ Energy-absorbing soun visors ☐ Energy-absorbing front seat back tops ☐ Self-locking seat back latches ☐ Head restraints for front outboard occupants ☐ Safety glove box latch ☐ Inside yleidaway rearview milror ☐ Impact-absorbing laminated safety glass windshleid ☐ Flame-resistant interior materials
 ☐ Safety-designed coal hooks
- ☐ Safety-designed radio control knobs and push buttons

6-YEAR/60,000-MILE POWERTRAIN WARRANTY

Ford's powertrain warranty covers all new cars for 6 years or 60,000 miles whichever comes tirst. This limited warranty covers major powertrain components. Certain restrictions and deductible apply. Ask your dealer for a copy.

6-YEAR/100,000-MILE CORROSION PROTECTION

Mustang's corrosion protection warranty coverage for outer body panel rust-through is 6 years or IOO,OOO miles, whichever comes tirst. See your dealer for details and a copy of this limited warranty.

5-MILE-PER-HOUR BUMPERS

Ford equips Mustang with impactresistant tront and rear bumpers that meet damageability requirements of the Federal Bumper Standard at 5 mph (exceeding the Standard's 2 1/2-mph requirement)

SCHEDULED MAINTENANCE

Here are some examples of sched uled maintenance intervals for the 1989 Mustang. For complete maintenance recommendations, refer to the Maintenance Schedule and Record Log.

Engine oil and filter change	each 7,500 miles or 6 months
Spark plug change	each 30,000 miles
Air filter replacement	each 30,000 miles
Engine coolant replacement	each 30,000 miles or 3 years



Participating Ford Dealers after the Litetime Service Guarantee, which quarantees their customer-paid work on your Ford vehicle for as long as you own it. The covered repair is paid for once. It it ever has to be fixed again, the repairing dealer will fix it free. Ask to see this limited warranty when you visit your participating Ford Dealer.



Optional Ford Extended Service Plans cover major components on new Ford cars and light trucks for longer than the vehicle's basic warranty. Your Ford Dealer has full details.

Motorcraft QUALITY REPLACEMENT PARTS FROM FORD

Genuine Ford and Motorcraft original equipment replacement parts meet the same high standards as those installed in production.





The leasing alternative is available through your Ford Dealer. A participating dealer can arrange financing terms or a Red Carpet Lease* tallated to your circumstances through Ford Credit.

Technical service bulletins

All vehicles need repairs during their lifetime. Sometimes Ford issues technical service bulletins (TSBs) and easy-toread explanations describing unusual engine or transmission conditions which may lead to costly repairs, the recommended repairs, and new repair procedures. Often a repair now can prevent a more serious repair later.

For more information...

Ask Ford Motor Company or your Ford or Lincoln Mercury, Scorpio or XRATI Dealer about Ford-paid repair programs and/or TSBs relating to your vehicle.

To get copies of these materials for your vehicle or the vehicle of interest to you. Call Ford toll-free at 1800-241-3673. Alaska/Hawaii call 1800-241-3711 and in Georgia call 1-800-282-0959.

Or write Ford at: Ford Customer Information System Post Office Box 95427 Atlanta, Georgia 30347

We'll need your name and address, year, make and model vehicle, as well as engine size, and whether you have a manual or automatic transmission.

Ford-paid repair programs after the warranty period

Sometimes Ford offers adjustment programs to pay all or part of the cost of certain repairs. These programs are intended to assist owners and are in addition to the warranty or to required recalls.

Options availability

Options shown or described in this catalog are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations.

Product changes

Ford Division reserves the right to change product specifications at any time without incurring obligations.

"Ask your Ford Dealer"

Following publication of this catalog, certain changes in standard equipment, options, prices and the like, or product delays, may have occurred which would not be included in these pages. Your Ford Dealer is your best source for up-to-date information.

